

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	"5537540".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/26 09:47
L5	137	((pre\$1boot\$4) or (boot\$3 near up) or (power\$3 near (up or on)) or (bios) or (basic input output system) or (re\$1set)) same (secure mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/26 09:50
L7	536	((pre\$1boot\$4) or (boot\$3 near up) or (power\$3 near (up or on)) or (bios) or (basic input output system) or (re\$1set)) same ((password or key) near2 (verif\$6 or authenticat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/26 13:43
L12	57	((pre\$1boot\$4) or (boot\$3 near up) or (power\$3 near (up or on)) or (bios) or (basic input output system) or (re\$1set)) same ((password or key) near2 (verif\$6 or authenticat\$4)) same (application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/26 14:10
L15	40	authenticat\$4 near9 initializ\$4 near9 (application or software or firmware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/26 14:13
S1	96	"security kernel"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 10:11
S2	49	"security kernel" and @ad < "19990327"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 12:03
S3	6	("security kernel" and @ad < "19990327") and ("security kernel" with processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 10:18
S4	1	((("security kernel" and @ad < "19990327") and ("security kernel" with processor)) and ("security kernel" with authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 10:21

EAST Search History

S5	5	("security kernel" with authenticat\$3) and @ad < "19990327"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 10:33
S6	15	"security kernel" with authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 10:27
S7	5	((("security kernel" with authenticat\$3) and @ad < "19990327") and (authenticat\$3 with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/20 14:30
S8	0	((("security kernel" with authenticat\$3) and @ad < "19990327") and (authenticat\$3 with key)) and (authenticat\$3 with ("private key" or "security key"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 10:48
S9	673	processor with ("security key" or "private key" or "common key")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/19 13:12
S10	211	(processor with ("security key" or "private key" or "common key")) and @ad < "19990327"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/19 13:19
S12	0	"normal mode" with "preferred mode"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/20 14:30
S13	1617	(CPU or processor) with "normal mode"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/20 14:31
S14	1014	((CPU or processor) with "normal mode") and @ad < "19990327"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/20 14:32
S15	0	(((((CPU or processor) with "normal mode") and @ad < "19990327") and ("power up" or "start up" or "boot up"))) and (CPU with (inaccessible or "not accessible"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/20 14:35

EAST Search History

S16	0	((CPU or processor) with "normal mode") and @ad < "19990327") and (CPU with (inaccessible or "not accessible"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/20 14:35
S17	0	((CPU or processor) with "normal mode") and @ad < "19990327") and ("power up" or "start up" or "boot up")) and 713/164.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/20 14:36
S18	152	((CPU or processor) with "normal mode") and @ad < "19990327") and ("power up" or "start up" or "boot up")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/20 14:43
S19	18	((CPU or processor) with "normal mode") and @ad < "19990327") and ("power up" or "start up" or "boot up")) and (encrypt\$3 or decrypt\$3 or cypher\$3 or scrambl\$3 or cryptography)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/20 17:01
S20	2	"5029206".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/20 17:04
S21	1	"5029206".pn. and (encryption with (proc\$4 or black))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/20 17:34

EAST Search History

S22	112	("6240429" "66" "6253217" "66" "6266682" "66" "6269380" "66" "6324551" "66" "6330573" "66" "6370553" "66" "6397231" "66" "6772340" "66" "6775655" "66" "6182218" "65" "6424715" "65" "6002772" "65" "4264782" "65" "5745569" "65" "5784464" "65" "5898777" "65" "5978482" "65" "6002769" "65" "6038316" "65" "6141754" "65" "5523859" "65" "5878135" "65" "5933500" "65" "5991399" "65" "6016348" "65" "6023509" "65" "6098056" "65" "6108788" "65" "6199053" "65" "6253193" "65" "6282573" "65" "6289455" "65" "6292569" "65" "6314521" "65" "6363488" "65" "6385596" "65" "6385728" "65" "6389402" "65" "6408330" "65" "6427140" "65" "6516413" "65" "6741991" "65" "6799271" "65" "6697944" "58" "6801999" "58" "5822432" "57" "5905800" "57" "5875249" "57" "6105137" "57").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 11:38
S25	945	(((((encrypt\$3 or encipher or cipher or scrambl\$3) with (data or text or application))) and @ad < "19990327") and ((encrypt\$3 or encipher or cipher or scrambl\$3) with (key\$1))) and authenticat\$3) and hash\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 12:19
S26	297	(((((encrypt\$3 or encipher or cipher or scrambl\$3) with (data or text or application))) and @ad < "19990327") and ((encrypt\$3 or encipher or cipher or scrambl\$3) with (key\$1))) and authenticat\$3) and hash\$3) and ((compar\$3 or match) with hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 12:20
S27	277	((((((((encrypt\$3 or encipher or cipher or scrambl\$3) with (data or text or application))) and @ad < "19990327") and ((encrypt\$3 or encipher or cipher or scrambl\$3) with (key\$1))) and authenticat\$3) and hash\$3) and ((compar\$3 or match) with hash)) and (asymmetric or "public key" or RSA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 12:21

EAST Search History

S28	207	(((((encrypt\$3 or encipher or cipher or scrambl\$3) with (data or text or application)) and @ad < "19990327") and ((encrypt\$3 or encipher or cipher or scrambl\$3) with (key\$1))) and authenticat\$3) and hash\$3) and ((compar\$3 or match) with hash)) and (asymmetric or "public key" or RSA)) and (symmetric or "common key" or DES)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 12:21
S29	59	(((((encrypt\$3 or encipher or cipher or scrambl\$3) with (data or text or application)) and @ad < "19990327") and ((encrypt\$3 or encipher or cipher or scrambl\$3) with (key\$1))) and authenticat\$3) and hash\$3) and ((compar\$3 or match) with hash)) and (asymmetric or "public key" or RSA)) and (symmetric or "common key" or DES)) and ("copy right" or copyright)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 12:22
S30	16	(((((encrypt\$3 or encipher or cipher or scrambl\$3) with (data or text or application)) and @ad < "19990327") and ((encrypt\$3 or encipher or cipher or scrambl\$3) with (key\$1))) and authenticat\$3) and hash\$3) and ((compar\$3 or match) with hash)) and (asymmetric or "public key" or RSA)) and (symmetric or "common key" or DES)) and ("copy right" or copyright)) and ((user or consumer) with ((select\$3 or choos\$3 or option) with (data or ebook or "electronic book" or cd or song or application)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 13:39

EAST Search History

S31	10	(((((encrypt\$3 or encipher or cipher or scrambl\$3) with (data or text or application)) and @ad < "19990327") and ((encrypt\$3 or encipher or cipher or scrambl\$3) with (key\$1))) and authenticat\$3) and hash\$3) and ((compar\$3 or match) with hash)) and (asymmetric or "public key" or RSA)) and (symmetric or "common key" or DES)) and ("copy right" or copyright)) and ((user or consumer) with ((select\$3 or choos\$3 or option) with (data or ebook or "electronic book" or cd or song or application)))) and laptop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 13:40
S32	2	"6577734".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:45
S33	4	("security kernel" or kernel or "operating system" or "os") with ((re\$1encrypt\$3 or re\$encipher or re\$1scrambl\$2) near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 06:11
S34	0	("security kernel" or kernel or "operating system") with ((re\$1encrypt\$3 or re\$encipher or re\$1scrambl\$2) near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:49
S35	3	("security kernel" or kernel or "operating system") same ((re\$1encrypt\$3 or re\$encipher or re\$1scrambl\$2) near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 06:12
S36	703	("security kernel" or kernel or "operating system") same ((encrypt\$3 or encipher or scrambl\$2) near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:51
S37	72	("security kernel" or kernel) with ((encrypt\$3 or encipher or scrambl\$2) near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:52
S38	1	("security kernel" or kernel) with ((encrypting or enciphering or scrambling) near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:53

EAST Search History

S39	11	("security kernel" or kernel) same ((encrypting or enciphering or scrambling) near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:56
S40	27	("security kernel" or kernel) same ((encrypted or enciphered or scrambled) near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:04
S41	22	("security kernel" or kernel) same (key adj (encryption or enciphering or scrambling))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 06:30
S42	2	"5029206".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 06:30
S43	230	713/164.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 07:49
S45	6	713/164.ccls. and ((kernel near6 (encryption or cipher or scramble)) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 07:52
S46	1	kernel same instantiat\$3 same ((application or data or program or text) near3 (encrypt\$3 or encipher\$3 or scrambl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:32
S47	1	kernel same instantiat\$3 same ((application or data or program or text) same (encrypt\$3 or encipher\$3 or scrambl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:32
S48	10	kernel and instantiat\$3 same ((application or data or program or text) same (encrypt\$3 or encipher\$3 or scrambl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:32
S49	0	"security kernel" with ((cpu or processor) near2 reset) with ((preferred or secure) adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 06:28

EAST Search History

S50	0	"security kernel" same ((cpu or processor) near2 reset) same ((preferred or secure) adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 06:28
S51	0	("security kernel" or kernel) same ((cpu or processor) near2 reset) same ((preferred or secure) adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 06:29
S52	0	("security kernel" or kernel) and ((cpu or processor) near2 reset) same ((preferred or secure) adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 06:29
S53	1	("security kernel" or kernel) and ((cpu or processor) near2 reset) and ((preferred or secure) adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 06:30
S54	1	713/2.ccls. and ((cpu or processor) near2 reset) and ((preferred or secure) adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 06:31
S55	0	713/1.ccls. and ((cpu or processor) near2 reset) and ((preferred or secure) adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 06:47
S56	2	"5530758".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:22
S58	3	"6557104".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:53
S59	3	"6557104".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:01
S60	18	("secure mode" with (bank\$3 or "digital rights management" or DRM or financ\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:04

EAST Search History

S61	95	("6829708" "6240429" "6253217" "6266682" "6269380" "6324551" "6330573" "6370553" "6397231" "6772340" "6775655" "6816596" "6876984" "6182218" "6424715" "6002772" "4264782" "5745569" "5784464" "5898777" "5978482" "6002769" "6038316" "6141754" "5523859" "5878135" "5933500" "5991399" "6016348" "6023509" "6098056" "6108788" "6199053" "6253193" "6282573" "6289455" "6292569" "6314521" "6363488" "6385596" "6385728" "6389402" "6408330" "6427140" "6516413" "6741991" "6799271" "6850252" "6868403" "6697944").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:35
S62	52	S61 and (bank\$3 or "digital rigits management" or DRM or rights or financ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:39
S63	12	S61 and (bank\$3 or "digital rigits management" or DRM or rights or financ\$3) and (kernel or "secure mode" or "preferred mode")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:39
S64	0	key same ((secure or preferred or safe or tamper\$4) near2 mode) same ((content or movie or (digital data) or (electronic document) or (electronic book)) near3 distribution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/05 11:26
S65	1222	(secure or prefer\$3) adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 14:00
S66	11	(secure or prefer\$3) adj mode near6 (eras\$4 or delet\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 14:04
S67	11	(secure or prefer\$3) adj mode near9 (eras\$4 or delet\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 14:04

EAST Search History

S68	23	(secure or prefer\$3) near2 mode near9 (eras\$4 or delet\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 14:05
S69	1	(secure or prefer\$3) near2 mode near9 (destroy\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 14:07
S70	24	(secure or prefer\$3) near2 mode near9 (delet\$4 or eras\$4 or destroy\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 14:07
S71	25	(secure or prefer\$3) near2 mode near13 (delet\$4 or eras\$4 or destroy\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 14:07
S72	27	(secure or prefer\$3) near2 mode near20 (delet\$4 or eras\$4 or destroy\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 14:26
S73	351	(secure or prefer\$3 or security or kernel) near2 (mode or state or proces\$5) near20 (delet\$4 or eras\$4 or destroy\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 14:27
S74	267	(secure or prefer\$3 or security or kernel) near2 (mode or state or proces\$5) near9 (delet\$4 or eras\$4 or destroy\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 14:27
S75	127	(secure or prefer\$3 or security or kernel) near2 (mode or state) near9 (delet\$4 or eras\$4 or destroy\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/12 16:14